

# Compact Radius Swing Boom 308D

Move in closer - Let's talk





**The new Cat® 308D Compact Radius Swing Boom is built to get the job done in areas where space is restricted and other machines cannot operate.**

**308D reduced tail swing models perform equally as well as their standard counterparts with large upper structure overhangs. Optional counterweights are available where increased stability is needed.**

- **Go where other machines can't**

The reduced tail swing means you can dig holes and trenches against a wall or fence without worrying about damage.

- **Dig parallel to the tracks**

The swing boom allows your operator to trench parallel to the machine tracks.

- **Match your stick to your application**

You have a choice of standard or long stick for different applications.

- **Keep your operators fresh and focused**

The spacious cab is ergonomically designed with joystick controls and air conditioning. The reclining seat has adjustable armrests.

- **Choose the right track for your application**

The Cat 308D CR offers a choice of steel, rubber pads or the new all-rubber tracks. Two blade widths are also available.

- **Keep your machine up and running**

Machine maintenance is minimal and service points are quick and easy to access.

- **One machine can do the work of many**

A range of high quality Cat® work tools boosts jobsite versatility. Cat Quick Couplers make it easy to change tools. This feature is compatible with all standard work tools.

Digging buckets



Ditch cleaning buckets



## The performance and stability you need

- Outstanding lift capacity matched with exceptional stability
- High digging forces
- Direct, smooth control through responsive hydraulics
- Load sensing increases fuel economy
- Dozer blade float function for landscaping and finishing applications
- Turbo charged engine gives higher power and maintains strong performance at high altitude
- Auxiliary lines and connectors fitted as standard
- Hammer (one-way) and auger (two-way) auxiliary lines fitted as standard
- High bucket rotation angle combines good spoil retention and flat back trench characteristics

## Other machines available

### 307D Fixed Boom



### 308D Fixed Boom



### Augers



### Hydraulic hammers



## Let's talk

about the Cat<sup>®</sup> Compact Radius Swing Boom 308D

**Contact your Cat dealer today for a demonstration or for more information.**

[WWW.CAT.COM](http://WWW.CAT.COM)

©2008 Caterpillar Inc. All Rights Reserved. CAT, CATERPILLAR, their respective logos, "Caterpillar Yellow" and the POWER EDGE trade dress, as well as corporate and product identity used herein, are trademarks of Caterpillar and may not be used without permission.

HECH3837

**CATERPILLAR<sup>®</sup>**  
TODAY'S WORK. TOMORROW'S WORLD.™

